

clerie's Gentoo install Guide

Konzept

- Vollverschlüsselte Festplatte
- (U)EFI Boot direkt in den Kernel
- Hibernate

Links

- https://wiki.gentoo.org/wiki/Full_Disk_Encryption_From_Scratch_Simplified

Partitionierung

/boot/efi		512MB	mkfs.fat -F 32
/boot		1G	mkfs.ext4
lvm	/	25GB	
	swap	RAM+2GB	
	/home	100%FREE	

Krypto

```
cryptsetup luksFormat -c aes-xts-plain64 -hash sha256 -s 256 /dev/nvme0n1p3
```

LVM

```
cryptsetup luksOpen /dev/nvme0n1p3 lvm
```

```
pvcreate /dev/mapper/lvm
```

```
vgcreate vg0 /dev/mapper/lvm
```

```
lvcreate -L50G -n root vg0
```

```
lvcreate -L18G -n swap vg0
```

```
lvcreate -l 100%FREE -n home vg0
```

```
mkfs.ext4 /dev/mapper/vg0-root
```

```
mkswap /dev/mapper/vg0-swap swapon /dev/mapper/vg0-swap
```

```
mkfs.ext4 /dev/mapper/vg0-home
```

Partitionen einhängen

```
mkdir /mnt/gentoo
mount /dev/mapper/vg0-root /mnt/gentoo
mkdir /mnt/gentoo/home
mount /dev/mapper/vg0-home /mnt/gentoo/home
mkdir /mnt/gentoo/boot
mount /dev/nvme0n1p2 /mnt/gentoo/boot
mkdir /mnt/gentoo/boot/efi
mount /mnt/nvme0n1p1 /mnt/gentoo/boot/efi
cd /etc/gentoo
```

Gentoo laden

```
wget
https://linux.rz.ruhr-uni-bochum.de/download/gentoo-mirror/releases/amd64/autobuilds/current-stage3-amd64/stage3-amd64-20200722T214503Z.tar.xz
https://linux.rz.ruhr-uni-bochum.de/download/gentoo-mirror/
tar xvf stage3-amd64-20200722T214503Z.tar.xz -xattrs -numeric-owner
```

Repos konfigurieren

```
mkdir etc/portage/repos.conf
cp usr/share/portage/config/repos.conf etc/portage/repos.conf/gentoo.conf
```

chroot vorbereiten

```
cp /etc/resolv.conf etc/resolv.conf
mount -t proc /proc proc mount -rbind /sys sys mount -make-rslave sys mount -rbin /dev dev mount -make-rslave dev
```

chrooten

```
chroot /mnt/gentoo /bin/bash
```

```
source /etc/profile
```

```
export PS1=„(chroot) $PS1“
```

Portage konfigurieren

[/etc/portage/make.conf](#)

```
# These settings were set by the catalyst build script that
# automatically
# built this stage.
# Please consult /usr/share/portage/config/make.conf.example for a more
# detailed example.
COMMON_FLAGS="-march=native -O2 -pipe"
CFLAGS="${COMMON_FLAGS}"
CXXFLAGS="${COMMON_FLAGS}"
FCFLAGS="${COMMON_FLAGS}"
FFLAGS="${COMMON_FLAGS}"

# NOTE: This stage was built with the bindist Use flag enabled
PORTDIR="/var/db/repos/gentoo"
DISTDIR="/var/cache/distfiles"
PKGDIR="/var/cache/binpkgs"

# This sets the language of build output to English.
# Please keep this setting intact when reporting bugs.
LC_MESSAGES=C

MAKEOPTS="-j5"

GENTOO_MIRRORS="ftp://ftp.wh2.tu-dresden.de/pub/mirrors/gentoo
https://linux.rz.ruhr-uni-bochum.de/do
wnload/gentoo-mirror/
http://linux.rz.ruhr-uni-bochum.de/download/gentoo-mirror/
https://ftp.halifax.
rwth-aachen.de/gentoo/ http://ftp.halifax.rwth-aachen.de/gentoo/
ftp://ftp.halifax.rwth-aachen.de/gen
too/ rsync://ftp.halifax.rwth-aachen.de/gentoo/
https://ftp.fau.de/gentoo http://ftp.fau.de/gentoo ft
p://ftp.fau.de/gentoo rsync://ftp.fau.de/gentoo
https://ftp-stud.hs-esslingen.de/pub/Mirrors/gentoo/
http://ftp-stud.hs-esslingen.de/pub/Mirrors/gentoo/
ftp://ftp-stud.hs-esslingen.de/pub/Mirrors/gentoo
/ rsync://ftp-stud.hs-esslingen.de/gentoo/"
```

```
USE=""

EMERGE_DEFAULT_OPTS="--ask --tree --quiet --verbose"

VIDEO_CARDS="intel"
INPUT_DEVICES="libinput"
```

Portage Dateien laden

emerge-webrsync

Profil wählen

eselect profile set „default/linux/amd64/17.1/desktop/gnome“

Locales setzen

echo „Europe/Berlin“ > /etc/timezone

emerge -config sys-libs/timezone-data

[/etc/locale.gen](#)

```
en_GB ISO-8859-1
en_GB.UTF-8 UTF-8
de_DE ISO-8859-1
de_DE.UTF-8 UTF-8
```

locale-gen

eselect locale list eselect locale set X

Kernel Konfig

- Wir wollen direkt vom Kernel booten
 - https://wiki.gentoo.org/wiki/EFI_System_Partition
 - https://wiki.gentoo.org/wiki/EFI_stub_kernel

From:

<https://wiki.clerie.de/> - **clerie's Wiki**

Permanent link:

<https://wiki.clerie.de/notiz/gentoo-installieren?rev=1595497057>

Last update: **2020/07/23 11:37**

