

NixOS als Tarball

```

{ config, pkgs, modulesPath, ... }:

let
  # format target device with `mkfs.ext4 -L NIXOS_ROOT`
  rootfsLabel = "NIXOS_ROOT";
in {
  imports = [
    (modulesPath + "/installer/cd-dvd/system-tarball.nix")
    # (modulesPath + "/profiles/base.nix")
  ];

  tarball.contents = [
    {
      source = pkgs.writeText "grub.cfg" ''
        insmod gfxterm
        insmod png
        set gfxpayload=keep
        menuentry "NixOS" {
          search --set=drive1 --label ${rootfsLabel}
          linux
            ($drive1){config.boot.kernelPackages.kernel}/${config.system.boot.loader.kernelFile}
            init=${config.system.build.toplevel}/init ${toString config.boot.kernelParams}
            initrd
              ($drive1){config.system.build.initialRamdisk}/${config.system.boot.loader.initrdFile}
            }
          '';
        target = "/boot/grub.cfg";
      }
  ];

  fileSystems."/ " = {
    device = "/dev/disk/by-label/${rootfsLabel}";
    fsType = "ext4";
  };
}

```

```

nix-build "<nixpkgs/nixos>" -A config.system.build.tarball -I nixos-config=tarball.nix

```

```

{ hostName }:

let
  # format target device with `mkfs.ext4 -L NIXOS_ROOT`
  rootfsLabel = "NIXOS_ROOT";

```

```
configuration =
  { config, pkgs, lib, modulesPath, ... }:

  {
    imports = [
      (modulesPath + "/installer/cd-dvd/system-tarball.nix")
      (./configuration/hosts + "${hostname}/configuration.nix")
    ];
    tarball.contents = [
      {
        source = pkgs.writeText "grub.cfg" ''
          insmod gfxterm
          insmod png
          set gfxpayload=keep
          menuentry "NixOS" {
            search --set=drivel --label ${rootfsLabel}
            linux
            ($drivel){config.boot.kernelPackages.kernel}/${config.system.boot.loader.kernelFile}
            init=${config.system.build.toplevel}/init ${toString config.boot.kernelParams}
            initrd
            ($drivel){config.system.build.initialRamdisk}/${config.system.boot.loader.initrdFile}
          }
        '';
        target = "/boot/grub.cfg";
      }
    ];

    fileSystems."/ " = lib.mkForce {
      device = "/dev/disk/by-label/${rootfsLabel}";
      fsType = "ext4";
    };
  };

  evaluatedHost = import <nixpkgs/nixos> {
    inherit configuration;
  };
in
  evaluatedHost.config.system.build.tarball
```

```
nix-build tarball.nix --argstr hostname myhost
```

From:
<https://wiki.clerie.de/> - **clerie's Wiki**

Permanent link:
<https://wiki.clerie.de/notiz/nixos-tarball>

Last update: **2021/01/14 19:51**



